## **Automotive Information Service**

December 2018



# Changes in our TITAN GT1 Range New Product TITAN GT1 FLEX 23 SAE 5W-30

We would like to inform you about upcoming changes in our TITAN GT1 Range.

In the past TITAN GT1 PRO FLEX SAE 5W-30 (XTL®) and TITAN GT1 SAE 5W-40 (XTL®) have been approved by two specifications which have been updated by the relevant OEM recently:

- BMW with its "BMW LONGLIFE-04"
- VW with its so-called triple claim "VW 502 00/505 00/505 01"

These two products do not fulfil the new version of these specifications. Therefore, we have to update the performance profile as following:

#### TITAN GT1 PRO FLEX SAE 5W-30 (XTL®)

Specifications	Approvals	<b>FUCHS Recommendations</b>
ACEA C3	BMW LONGLIFE 04	FIAT 9.55535-S3
API SN/SM	dexos2 <sup>™</sup> (GB2C0209075)	GM-LL-A-025
	MB-APPROVAL 229.51	GM-LL-B-025
	MB-APPROVAL 229.52	
	VW <del>502 00/</del> 505 00/505 01	

#### TITAN GT1 SAE 5W-40 (XTL®)

Specifications	Approvals	<b>FUCHS Recommendations</b>
ACEA C3	BMW LONGLIFE-04	API CF
API SN/SM	dexos2 <sup>™</sup> (D20311HE075)	FIAT 9.55535-S2
FORD WSS-M2C917-A	MB-APPROVAL 226.5 MB-APPROVAL 229.31	FIAT 9.55535-T2
	PORSCHE A40	
	RENAULT RN0700/RN0710	
	VW 502 00/505 00/505 01	

Both products will lose the BMW LONGLIFE-04 approval by the end of June next year.

TITAN GT1 PRO FLEX SAE 5W-30 will also lose its triple claim by end of this year, keeping the VW 505 00/ 505 01.

With the loss of these specifications TITAN GT1 PRO FLEX SAE 5W-30 will not be fully-fledged anymore. Hence, we decided that the product will fade out and will be replaced by a new product.



Phone +49 621 3701-0 Fax +49 621 3701-7000 zentrale@fuchs-schmierstoffe.de IATF 16949, ISO 14001 BS OHSAS 18001, ISO 50001 Reg. Nr. 2476



## **Automotive Information Service**

December 2018



## **New Product TITAN GT1 FLEX 23 SAE 5W-30**

The successor product of TITAN GT1 PRO FLEX SAE 5W-30 will be our new TITAN GT1 FLEX 23 SAE 5W-30. This Premium Performance engine oil has optimum cold start ability and outstanding performance reserves. It can be used for modern passenger cars and light commercial vehicles with or without extended service intervals. TITAN GT1 FLEX 23 SAE 5W-30 has a wide range of approvals from different OEMs for a wide range of applications.

#### **TITAN GT1 FLEX 23 SAE 5W-30**

Specifications	Approvals	FUCHS Recommendations
ACEA C2/C3 API SN	BMW LONGLIFE-04 dexos2 <sup>TM</sup> MB-APPROVAL 229.31 MB-APPROVAL 229.51 MB-APPROVAL 229.52 VW 505 00/505 01	FIAT 9.55535-S1 / -S3 GM-LL-A-025 GM-LL-B-025 IVECO 18-1811 CLASSE SC1

With the performance profile of the new product, **TITAN GT1 PRO B-Tec SAE 5W-30** becomes redundant in the portfolio and **will fade out**.

### Advantages of TITAN GT1 FLEX 23 SAE 5W-30

#### Universally applicable for diesel, petrol and gas engines of many manufacturers

- Combination ACEA C2/C3 and API SN required by Asian manufacturers
- Fulfils latest version of BMW LONGLIFE-04 specification
- Combination of 3 Mercedes specifications
- Full replacement/inclusion of TITAN GT1 PRO B-Tec SAE 5W-30





Very good aging resistance



Protects exhaust aftertreatment systems





# **Automotive Information Service**

December 2018




TITAN GT1 FLEX 23 SAE 5W-30 will be available in Germany in January with the following SKU numbers:

#### **Article Numbers**

Product	Packaging Size	Article Number
TITAN GT1 FLEX 23 SAE 5W-30	12x1L	601406928
TITAN GT1 FLEX 23 SAE 5W-30	3x5L	601406966
TITAN GT1 FLEX 23 SAE 5W-30	20L	601406850
TITAN GT1 FLEX 23 SAE 5W-30	60L	601406874
TITAN GT1 FLEX 23 SAE 5W-30	205	601406898
TITAN GT1 FLEX 23 SAE 5W-30	IBC	601406713
TITAN GT1 FLEX 23 SAE 5W-30	BUL	601407864

Please be aware that we changed the packaging units for the small packs:





**Your FUCHS Team Product Management Automotive** 



Phone +49 621 3701-0 Fax +49 621 3701-7000 zentrale@fuchs-schmierstoffe.de IATF 16949, ISO 14001 BS OHSAS 18001, ISO 50001 Reg. Nr. 2476

