



## SILKOLENE SCOOT 4 SAE 10W-40

Electrosyntec Technology – synthetic ester based 4-Stroke engine oil for scooters and mopeds.

### Description

SILKOLENE SCOOT 4 10W-40 is a 10W-40 grade oil specifically designed for 4-stroke Scooters. The formulation provides exceptional anti-corrosion and anti-wear performance, even under extreme temperatures and conditions as well as offering excellent shear stability, giving outstanding stay in grade performance.

### Application

SILKOLENE SCOOT 4 10W-40 is ideal for use in all modern high performance, free revving 4-stroke scooter engines.

These features combine to ensure complete reliability, easy starting and all-round user friendly operation.

### Advantages/Benefits

- Designed specifically for Scooters
- Good anti-wear and corrosion protection
- Maintains viscosity during use

### Specifications

- API SG/SH/SJ

### Approvals


- JASO MA2

### FUCHS Recommendations

- -

PI60221e, PMA, 01.04.2015

*Your Bike's  
Adrenaline*



**FUCHS SCHMIERSTOFFE GMBH**

Friesenheimer Straße 19  
68169 Mannheim / Germany  
Phone: +49 621 3701-0  
Fax: +49 621 3701-570

zentrale@fuchs-schmierstoffe.de  
www.fuchs-schmierstoffe.de  
www.fuchs-silkolene.de






**TYPICAL CHARACTERISTICS**

---

Kinematic Viscosity at 40°C	IP71	90.6 mm <sup>2</sup> /s
Kinematic Viscosity at 100°C	IP71	14.28 mm <sup>2</sup> /s
Viscosity Index	IP226	163
SAE Rating		10W-40
Flash Point (Closed up)	IP34	180 °C
Pour Point	IP15	-34 °C
Specific Gravity at 15°C	IP160	0.881

*Your Bike's  
Adrenaline*



**FUCHS SCHMIERSTOFFE GMBH**

Friesenheimer Straße 19  
68169 Mannheim / Germany  
Phone: +49 621 3701-0  
Fax: +49 621 3701-570

zentrale@fuchs-schmierstoffe.de  
www.fuchs-schmierstoffe.de  
www.fuchs-silkolene.de





The information contained in this product information is based on the experience and know-how of FUCHS SCHMIERSTOFFE GMBH in the development and manufacturing of lubricants and represents the current state-of-the-art. The performance of our products can be influenced by a series of factors, especially the specific use, the method of application, the operational environment, component pretreatment, possible external contamination, etc. For this reason, universally-valid statements about the function of our products are not possible. The information given in this product information represents general, non-binding guidelines. No warranty expressed or implied is given concerning the properties of the product or its suitability for any given application.

We therefore recommend that you consult a FUCHS SCHMIERSTOFFE GMBH application engineer to discuss application conditions and the performance criteria of the products before the product is used. It is the responsibility of the user to test the functional suitability of the product and to use it with the corresponding care.

Our products undergo continuous improvement. We therefore retain the right to change our product program, the products, and their manufacturing processes as well as all details of our product information sheets at any time and without warning, unless otherwise provided in customer-specific agreements. With the publication of this product information, all previous editions cease to be valid.

Any form of reproduction requires express prior written permission from FUCHS SCHMIERSTOFFE GMBH.

© FUCHS SCHMIERSTOFFE GMBH. All rights reserved.

*Your Bike's  
Adrenaline*

